

Index

Symbols

(*aq*) as aqueous solution, 292

[] (brackets)

electron configuration, 21

molarity, 298

° (degree sign) for standard conditions, 209

Δ (Delta)

addition of heat, 121

change, 149

‡ (double dagger) as transition state, 153, 189*f*

ρ (rho) as density, 254

A

A. See Mass number

A as representative elements, 42–43

Absolute zero, 214, 259, 259*f*

Absorption and color, 15

Absorption spectra, 11, 14–15

Acid dissociation constant (K_a), 340–44, 356

Acid–base reactions. See Neutralization reactions

Acidic solutions

hydronium ion formation, 292, 292*f*

log of $[H^+]$, 337

Acids, 329–57

concept summary, 359–60

amphoteric species, 333, 333*f*, 335–36, 342

definitions, 330–33, 331*f*, 332*f*, 333*f*

dissociation constant, 340–44, 356

drug solubility, 329–30

equivalents, 114–16, 115*f*, 299, 347–48

gram equivalent weight, 114, 116, 348

induction effects, 342–43, 343*f*

as ionic, 130

nomenclature, 334

strong acids, 339–40, 342, 344–45, 350–51

weak acids, 134, 340–41, 342, 344–45, 350

See also Neutralization reactions; pH; Titration

Actinide series

electron configurations, 21, 21*f*, 43

ionization energy, 51*f*

as nonrepresentative elements, 43

Periodic Table, 43–44

valence electrons, 25, 43, 44

Activated complex. See Transition state

Activation energy (E_a)

- Arrhenius equation, 151–52
- catalysts, 156, 156*f*, 180, 234, 234*f*
- definition, 151
- potential energy diagrams, 153, 154*f*, 156*f*, 234*f*
- spontaneity and, 207, 232
- transition state theory of kinetics, 152, 153

Active metals. *See* Alkali metals; Alkaline earth metals

Actual yield, 128–29

Adiabatic process, 205, 206*f*, 216

Alcoholic proof, 296

Alkali metals

- chemical properties, 55, 55*f*, 132
- electron affinity, 52, 52*f*, 55
- electronegativity, 53*f*, 55
- halogens and, 55, 56, 77
- as ionic species, 132
- ionization energy, 51, 51*f*, 55
- as metallic, 46
- oxidation numbers, 373
- valence electrons, 24, 46, 55

Alkaline earth metals

- chemical properties, 55
- electron affinity, 52, 52*f*
- electronegativity, 53*f*
- halogens and, 56, 77
- as ionic species, 132
- ionization energy, 51, 51*f*
- as metallic, 46
- oxidation numbers, 373
- valence electrons, 24, 46, 55

Allotrope, 24, 24*f*

Amino acids

- amphoteric zwitterions, 333, 333*f*
- isoelectric focusing, 408
- peptide bond formation, 207*f*
- protein solvation, 289
- titration, 354

Amphiprotic species, 333, 333*f*

Amphoteric species

- water, 333, 342
- water autoionization, 335–36
- zwitterions, 333*f*

Angular momentum

- Bohr model, 10–11
- quantum mechanical model, 19–20

Anions

- anode attraction, 408
- cell membranes, 404, 404*f*
- definition, 6
- electron configurations, 21–22
- formula writing, 375
- galvanic cells, 399, 400–401
- halogens as, 51
- ionic bonds, 77, 130
- ionic radius, 50*f*
- ionic species, 132, 373
- oxyanions, 131

Anodes

- anion attraction, 408
- cell diagrams, 401
- electrolytic cells, 402, 402*f*, 407, 410
- galvanic cells, 400, 400*f*, 407, 410
- lead–acid batteries, 405, 405*f*
- nickel–cadmium batteries, 406, 406*f*
- nickel–metal hydride batteries, 407
- as oxidation site, 398, 401, 407–8, 409
- reduction potential, 410

Antibonding orbital, 92

Aqueous solutions

- (*aq*), 292
- Arrhenius acids/bases, 330, 331
- complex ion solubility, 304–6
- dissociation constant for water, 336, 340, 342
- hydronium ion, 292, 292*f*
- molality and molarity, 298
- solubility rules, 292–93
- strong acids/bases, 339

Argon (Ar) octet stability, 74*f*

Arrhenius acids/bases, 330–31, 333

Arrhenius equation, 151–52, 154

Atmosphere (atm)

- standard conditions, 209, 251, 410
- standard temperature and pressure, 209, 251
- to torr and Pa, 250

Atmospheric pressure, 251, 251*f*

Atom, 4–6, 4*f*, 5*f*, 6*t*

See also Atomic structure

Atomic absorption spectra, 11, 14–15

Atomic emission spectra, 11–14, 13*f*, 15

Atomic mass

- atomic weight versus, 7, 8

- Periodic Table, 4*f*
- Atomic mass units (amu)
 - carbon as definition, 7
 - molecular weight, 112
 - subatomic particles, 4, 7
- Atomic number (Z)
 - atomic radius versus, 49*f*
 - isotopes, 5, 5*f*
 - Periodic Table, 4*f*, 42
 - protons, 4, 7
- Atomic orbitals, 91–92, 91*f*, 92*f*
- Atomic radius
 - chalcogens, 56
 - definition, 48
 - metals, 44, 55
 - nonmetals, 45
 - Periodic Table, 48–49, 49*f*, 53, 53*f*
- Atomic structure, 3–25
 - concept summary, 27–29
 - atomic mass vs. weight, 7–9
 - Bohr model, 10–15
 - quantum electron configurations, 20–25, 20*f*, 21*f*
 - quantum numbers, 16–20
 - subatomic particles, 4–6, 4*f*, 5*f*, 6*t*
- Atomic weight
 - atomic mass versus, 7, 8
 - isotope average, 7–8, 112
 - Periodic Table order, 42
- ATP (adenosine triphosphate)
 - mitochondrial production, 397–98
 - reaction kinetics, 149
- Attempt frequency of reaction, 152, 152*f*
- Autoionization
 - amphoteric water, 335–36
 - concentration of acid/base, 339
 - conductance of water, 134
 - conjugate acid–base pairs, 331, 331*f*
- Avogadro's number (N_A)
 - Faraday constant, 403
 - mole definition, 8, 113, 127
- Avogadro's principle, 256–57
- Azimuthal quantum number (l), 16, 17–18, 19, 20*t*, 91–92

B

- B as nonrepresentative elements, 43
 - See also* Transition metals

Balanced equations

- actual reaction versus, 150
- laws of conservation, 125
- oxidation–reduction reactions, 125, 375–76
- steps for, 125–26, 127
- stoichiometric coefficients, 125, 126
- See also* Stoichiometry

Balmer series, 13, 14f**Barometers, 250–51, 251f****Base dissociation constant (K_b), 341–44, 356****Bases, 329–57**

- concept summary, 359–60
- amphoteric species, 333, 333f, 335–36, 342
- definitions, 330–33, 331f, 332f, 333f
- dissociation constant, 341–44, 356
- drug solubility, 329–30
- equivalents, 114–16, 115f, 299, 347–48
- gram equivalent weight, 114, 116, 348
- as ionic, 130
- strong bases, 339–40, 342, 344–45
- weak bases, 134, 340–41, 342, 344–45, 350
- See also* Neutralization reactions; pH; Titration

Basic solutions as log of $[\text{OH}^-]$, 337**Batteries**

- electrode charge designations, 400f, 407–8
- lead–acid, 399, 405–6, 405f
- nickel–cadmium, 406–7, 406f
- nickel–metal hydride, 407
- nonrechargeable as galvanic, 399
- rechargeable, 405–7, 405f, 406f
- temperature, 399
- See also* Electrochemistry

The “bends,” 302**Beryllium (Be)**

- Lewis structure, 82t
- octet rule, 75, 87

Bicarbonate buffer system

- diabetic ketoacidosis, 179, 185
- overview, 355
- thermodynamics of, 342

Blood pressure, 250, 251**Bohr, Niels, 10–11****Bohr model, 10–15****Boiling**

- definition, 210
- endothermic, 232

- entropy change, 226, 232
- phase change, 73
- Boiling point
 - covalent compounds, 79
 - definition, 210, 311
 - heating curves, 217, 217*f*
 - hydrogen bonds, 95
 - ionic bonds, 78
 - noble gases, 57
 - phase diagram, 212*f*
 - polar species, 95
 - transition metals, 57
- Boiling point elevation
 - colligative, 308
 - equation, 311
 - molality units, 298, 311
 - vapor pressure depression and, 309
- Boltzmann, Ludwig, 264
- Boltzmann constant, 265
- Bomb calorimeter, 215, 216*f*
- Bond angles
 - azimuthal quantum number, 17
 - electronic vs. molecular geometry, 89–90
 - ideal bond angle, 90
 - valence shell electron pair repulsion theory, 88*t*
- Bond dissociation energies, 223–25, 224*t*
- Bond energy, 79
- Bond enthalpies, 223–25, 224*t*
- Bond length, 79
- Bond order, 79
- Bonding electrons
 - definition, 81
 - formal charge, 84
 - ideal bond angle, 90
 - molecular geometry, 89–90
 - valence shell electron pair repulsion theory, 87–88, 88*t*
- Bonding orbitals, 92
- Boron (B)
 - Lewis structure, 82*t*
 - octet rule, 75, 87
- Boyle, Sir Robert, 252, 257
- Boyle's law, 252, 257–58, 258*f*
- Brackets []
 - electron configuration, 21
 - molarity, 298
- Broken-order reactions, 164

Brønsted, Johannes, 331
Brønsted–Lowry acids/bases
 amphoteric/amphiprotic, 333, 333*f*
 definition, 331, 331*f*
 Lewis/Arrhenius versus, 332–33, 332*f*
 polyprotic, 347
Buffer region, 353, 353*f*, 354
Buffering capacity, 355–56
Buffers
 acetic acid–sodium acetate, 354
 bicarbonate buffer system, 179, 185, 342, 355
 definition, 354
 Henderson–Hasselbalch equation, 355–57

C

c. See Specific heat
Cade, John, 41
Calorie (cal) to joule, 214
Calorimeter
 constant-pressure vs. -volume, 214, 215–17, 216*f*
 as isolated system, 204
 Styrofoam cup as, 203, 214, 215
Calorimetry, 214, 215–17, 216*f*
Carbon (C)
 atomic mass units definition, 7
 Lewis structure, 82*t*
 as nonmetal, 45, 45*f*
 octet rule, 75
Carbon dioxide (CO₂)
 bicarbonate buffer system, 179, 185, 342, 355
 carbaminohemoglobin, 294, 294*f*
 combustion reaction product, 122, 122*f*, 125–26, 207*f*, 225, 225*f*, 373*f*, 379
 as covalent compound, 79, 112
 diabetic ketoacidosis, 179, 185
 formal charge vs. oxidation number, 84
 geometry, 89
 nonelectrolyte, 134
 solubility in blood, 262, 262*f*
 solvation enthalpy, 289
 sublimation of dry ice, 211
Catalase, 380
Catalysts
 definition, 156
 disproportionation reactions, 380–81
 Gibbs free energy, 234, 234*f*
 Lewis acids as, 333

as reaction rate factors, 156, 156*f*, 207
temperature of reaction, 155
zero-order reactions, 162

See also Enzymes

Cathodes

cation attraction, 408
cell diagrams, 401
electrolytic cells, 402, 402*f*, 407, 410
galvanic cells, 400, 400*f*, 407, 408, 410
lead–acid batteries, 405–6, 405*f*
nickel–cadmium batteries, 406, 406*f*
reduction potential, 410
as reduction site, 398, 401, 407–8, 409

Cations

cathode attraction, 408
cell membranes, 404, 404*f*
definition, 6
electron configurations, 22
formula writing, 375
galvanic cells, 399–401, 400*f*
ionic bonds, 77, 130
ionic radius, 50*f*
ionic species, 132, 373

Cell diagram, 401

Cell membranes, 404, 404*f*, 415

Celsius (°C) and specific heat, 215

Cesium (Cs)

atomic radius, 49, 53
properties of, 53, 53*f*

Chalcogens, 56

Charge gradients, 400–401, 404, 404*f*

Charging lead–acid batteries, 405–6, 405*f*

Charles, Jacques, 258

Charles's law, 252, 258–59, 259*f*

Chelation, 295, 295*f*

Chemical bonds, 73–92

concept summary, 98–100
geometry, 87–90, 88*t*
octet rule, 74–75, 74*f*
types, 75–76, 75*f*, 80

See also Covalent bonding; Ionic bonds; Lewis structures

Chemical equation. *See* Balanced equations

Chemical properties

periodic law, 42
Periodic Table, 43–46, 44*f*, 45*f*, 46*f*
Periodic Table groups, 54–58, 55*f*, 56*f*, 57*f*, 58*f*

- Periodic Table periods, 42, 48, 49, 53
- reactivity and valence electrons, 6, 24, 42
- Chlorine (Cl)
 - cell membranes, 404, 404*f*
 - combustion with hydrogen, 225
 - electrolysis of NaCl, 402, 402*f*
 - ionic bonding, 74, 75–76, 75*f*, 76*f*
 - ionic compound ΔEN , 77
 - octet rule, 75
- Chromium (Cr) electron configuration, 23, 43
- Clapeyron, Benoît Paul Émile, 252
- Closed system
 - definition, 204
 - dynamic equilibrium, 180
 - entropy, 228
 - supercritical fluids, 212
- Cocaine, 330
- Coffee-cup calorimetry, 203, 214, 215
- Cold finger, 211
- Colligative properties
 - boiling point elevation, 311
 - definition, 308
 - electrolytes, 134
 - freezing point depression, 311–12
 - osmotic pressure, 313, 313*f*
 - vapor pressure depression, 308–10, 308*f*, 309*f*
- Collision theory of chemical kinetics, 151–52, 152*f*
- Color
 - absorption and, 15
 - acid–base indicators, 124, 124*f*, 350
 - complex ions, 295, 295*f*
 - iodimetric titration, 382
 - noble gases, 57*f*
 - oxidation states, 133, 133*f*
 - oxidation–reduction indicators, 382, 382*t*
 - transition metals, 57–58, 58*f*, 375
- Combination reactions, 120, 121*f*, 378
- Combined gas law, 254–55, 260
- Combustion reactions
 - constant-volume calorimeter, 214, 215–17, 216*f*
 - definition, 122, 122*f*
 - glucose, 207*f*
 - net ionic equations, 379
 - standard heat of combustion, 225, 225*f*
- Committed steps. *See* Irreversible reactions
- Common ion effects, 301, 306

Complete ionic equations, 378

Complex ions

color, 295, 295*f*

formation, 293–95, 293*f*, 294*f*, 295*f*

formation constant, 305

Lewis acid–base reactions, 332

solubility, 304–6

transition metals, 58, 58*f*, 294, 294*f*

Compounds, 111–34

concept summary, 136–38

definition, 111

equivalents, 113–16, 115*f*, 299, 347–48

molecular vs. ionic, 112

molecules of, 112

reaction types, 120–24

representation of, 117–19

See also Balanced equations; Ionic compounds

Compression

decompression “bends,” 302

isothermal compression, 257–258, 258*f*

Concentrated solutions, 291, 340

Concentration

acid/base equilibrium constants, 343–44

acid–base titration, 349–50

alcoholic proof, 296

autoionization of water, 336

common ion effects, 306–7

“concentrated” vs. “strong,” 340

definition, 296

density and, 298

dilution, 299–300

electromotive force and, 414, 416–17

equilibrium constant (K_c), 181–82

equivalents and acidity/basicity, 348

frequency factor of reactions, 152, 152*f*

gradients, 397–98, 404, 404*f*

Le Châtelier’s principle, 185–86

normality versus, 114–15

radioactive substance, 163

rate of reaction, 154, 158, 160

reaction orders, 162–65, 162*f*, 163*f*, 164*f*

saturation point, 301

standard conditions, 209

units of, 296–99

zero-order reactions, 154, 162, 162*f*

Concentration cells, 397–98, 404, 404*f*

- Concentration gradients
 - cell membrane, 404*f*
 - concentration cells, 404, 404*f*
 - electromotive vs. proton-motive force, 397–98
- Condensation
 - definition, 210
 - heating curve, 217*f*
 - phase diagram, 212*f*
 - Raoult's law, 309, 309*f*
 - real gases, 270, 271
- Condensation point. *See* Boiling point
- Conductance
 - covalent compounds, 79
 - ionic compounds, 78, 133
 - metalloids, 45, 46
 - metals, 44, 57
 - nonmetals, 45
- Conjugate acid–base pair
 - amphoteric conjugate base, 333
 - definition, 331, 331*f*, 341
 - equilibrium constant, 341–42
- Constant-pressure calorimeter, 214, 215–17
- Constant-volume calorimeter, 214, 215–17, 216*f*
- Coordinate covalent bonds
 - complex ions, 293
 - definition, 76, 81, 81*f*
 - Lewis acid–base reactions, 81, 81*f*, 332
- Coordination compounds. *See* Complex ions
- Copper (Cu)
 - as electrode, 399, 400–401, 400*f*, 408
 - electron configuration, 23, 43
 - oxidation states, 57
- Coulombs (C) per electron, 403
- Coupling reactions, 207, 207*f*
- Covalent bonding
 - coordinate covalent bonds, 76, 81, 81*f*
 - definition, 76, 76*f*, 78–79, 80
 - diamagnetism, 24, 24*f*
 - electronegativity, 76, 78
 - geometry, 87–90, 88*t*
 - Lewis structures, 81–87, 81*f*, 82*t*, 85*f*, 87*f*
 - orbitals, 91–92, 91*f*, 92*f*
 - polarity, 76, 90–91, 90*f*, 91*f*
 - properties, 79–81
 - See also* Intermolecular forces
- Critical point, 212, 212*f*

Critical pressure, 212, 212*f*

Critical temperature, 212, 212*f*

Crystal

 conductivity, 133

 ionic solids, 76, 76*f*, 78, 112

Crystallization. *See* Freezing

Current (*I*)

 electrochemical cells, 398–99

 electrode charge designations, 400*f*, 407–8

 Faraday's Laws as proxy for, 402

 surge current, 407